

Radon Detector Library Lending Program

Health Canada recommends long term testing of at least 91 days, but for screening purposes a minimum short term lending period of 28 days will provide an indication of radon levels in the home.

Device Instructions

1

Using a paper clip or pen, press the **RESET** button.

**2**

The display will read CAL and countdown. The display will flash with no numbers for the first 24 hours.



Placement

3

Select a room on the lowest level (basement or 1st floor) where you spend at least 4 hours per day level (e.g., office, family room or bedroom).

**4**

This monitor is for **indoor** use only. Place on a flat surface such as a desk, table, bookcase, or shelf. Place in a room with below **85%** relative humidity. Leave undisturbed during testing period.

DO NOT place in direct sunlight.

DO NOT place in a bathroom, kitchen, laundry room or furnace room.

Results

Above 200 Bq/m³:

If the long-term results exceed Health Canada's recommended guideline of 200 Bq/m³, take the steps to reduce your exposure to radon. To learn more, visit the Take Action on Radon website at takeactiononradon.ca/protect/reducing-radon.

200 Bq/m³ or below:

If the long-term results are below the recommended guideline, you may purchase a digital detector such as this one for continuous radon monitoring or a 91-day single use long-term test kit. Continuous radon detectors may be easily purchased in hardware stores or online. To purchase a long-term single use test kit, visit takeactiononradon.ca/test-for-radon/radon-test-kits.


5


FAQs

To learn more about radon, we encourage you to read the three brochures that were provided with your library radon testing kit:

- Radon Gas: It's In Your Home
- Take Action on Radon Bookmark
- Radon: What You Need to Know

For detector FAQs or troubleshooting, visit help.airthings.com and type **HOME** in the search bar.



ACKNOWLEDGEMENTS

The Radon Detector Library Lending Program is made possible thanks to the following generous supporters:

Results

Above 200 Bq/m³:

If the long-term results exceed Health Canada's recommended guideline of 200 Bq/m³, take the steps to reduce your exposure to radon. To learn more, visit the Take Action on Radon website at takeactiononradon.ca/protect/reducing-radon.

200 Bq/m³ or below:

If the long-term results are below the recommended guideline, you may purchase a digital detector such as this one for continuous radon monitoring or a 91-day single use long-term test kit. Continuous radon detectors may be easily purchased in hardware stores or online. To purchase a long-term single use test kit, visit takeactiononradon.ca/test-for-radon/radon-test-kits.

5


FAQs

To learn more about radon, we encourage you to read the three brochures that were provided with your library radon testing kit:

- Radon Gas: It's In Your Home
- Take Action on Radon Bookmark
- Radon: What You Need to Know

For detector FAQs or troubleshooting, visit help.airthings.com and type **HOME** in the search bar.

